



ONE LOCATION – INFINITE BRANDING OPTIONS

The venue at Westhafen Pier 1 offers an array of possibilities to design your bespoke event.

These possibilities are described in the following including pricing and are obtainable from Westhafen Pier 1 GmbH. We are also happy to furnish you with print data as well as mounting foils.

We look forward to your inquiry.









LOGO PROJECTION UNDER THE CANOPY (OUTDOOR)

Two logo projectors under the canopy left and right next to the main entrance (a gobo b/w + 1 color per light source)

Prices and print data requirements need to be obtained from Sinus Eventtechnik GmbH.





SCANVAS FOR ALUMINUM FRAME (GROUND FLOOR) BACKLIT

Measurements: 10 450X1 420mm (wxh) data format: PDF - vector data resolution: 120 dpi
The pillar covers 600mm from the image.

Price / net 790€





CANVAS FOR THE CLOAKROOM

Measurements: 3370×2820 mm (W×H)

Data format: PDF – vector Data resolution : 120 dpi

Price / net 620€





ADHESIVE FOIL FOR CLOAKROOM COUNTER

Measurement: 5×735×160mm(w×h)

Measurement: 10×735×235 mm (w×h)

Measurement: 5×735×335 mm (w×h)

Data format: Plot – Vector data

Resolution: 120 dpi







ADHESIVE FOIL FOR MIRROR PANELS RESTROOMS

Measurement: 4 X 1737 X 1010 MM (w x h)

Data formata: Plot - vector data

Resolution: 120 dpi

ADHESIVE FOIL FOR MIRROR IN THE RESTROOMS

LADIES Measurement: 2245 x 745 mm, 760 X 1940 mm (W×H)

GENTS Measurement: 1490 x 750 mm, 760 X

1940 mm (WXH)

Data format: Plot – vector data

Resolution: 120 dpi





ADHESIVE FOIL FOR THE MIRROR WALL

Measures: 14 mirrors each

1015×3530 mm (w×h)

Data format: Plot – vector

Resolution: 120 dpi





ADHESIVE FOIL FOR GLASS PANES OF REFRIGERATORS

Measures: 472 X 1435 mm (w x h)
Data format: Plot – vector data

Resolution: 120 dpi







ADHESIVE FOIL BAR

Measures: 11 x 735 x 140 mm (w x h)

Measures: 11 x 735 x 340 mm (w x h)

Measures: 11 x 735 x 490 mm (w x h)

Data format: Plot - vector data

Resolution: 120 dpi





CANVAS FOR ALUMINUM FRAME GALLERY

Measures:3500 x 1970 mm (w x h)

Data format: Plot – vector data

Resolution: 120 dpi

Price / net 450€





CANVAS FOR ALUMINUM FRAME GALLERY

Measures:1300 x 1700 mm (w x h)

Data format: Plot – vector data Resolution: 120 dpi

Price / net 150€







CANVAS FOR ALUMINUM FRAME (UPSTAIRS)

3. Frame measures: 2600 x 1250 mm (w x h)

Data format: Plot - vector data

Resolution: 120 dpi

3. Frame Price / net 215€





12 X 3,25 M STAGE BACK WALL

In the shape of an aluminum-textile-canvas frame system. Prices and print data requirements need to be obtained from Sinus Eventtechnik GmbH.

When compiling the print data the distance of the stage height needs to be omitted.



westhafen pier 1


BACKWALL (ONE-SIDE PRINT)

Measures: 4000 x 2500 mm (w x h)

Data format: Plot – vector data

Resolution: 120 dpi

Price / net **750**€





CANVAS FOR ALUMINUM FRAME

Measures: 1300 x 2500 mm (w x h)

Data format: Plot - vector data

Resolution: 120 dpi

CANVAS FOR ALU SHAPE COUNTER

Measures: 700 × 953 mm (w x h)

Data format: Plot – vector data

Resolution: 120 dpi

Frame
Price / net
215€

Counter Price / net 45€





ADHESIVE FOIL FOR LECTERN

Measures: 3 x 735 x 335 mm (w x h)

Data format: Plot – vector data

Resolution: 120 dpi







PARKING INDICATOR A1

Measures: 594 x 841 mm (w x h)
Data format: Plot – vector data

Resolution: 120 dpi







MOVING VEHICLES INTO THE LOCATION

The width of the main door is exactly 193 cm. By removing an emergency exit an additional door width of 2 m can be managed.

Also, the floor has a maximum ultimate load capacity. Therefore we ask you to send us the total weight of the vehicle.

For fire safety regulations, the gas tank needs to be completely emptied.

Get in touch with us so we can find a solution for your event!





DATA PREPARATION

DETAILS

- Product
- Size (width × height)
- Delivery date
- Type of shipping
- Sender's address
- Visualization PDF
- Proof if possible (color binding sample)

PROGRAMS

- Adobe Illustrator
- Adobe InDesign
- Adobe Photoshop
- Adobe Acrobat Pro

TRIMMING TOLERANCE EDGE

- for packaging with a rubber lip or velcro a trimming tolerance of 5 cm circumferential is needed
- for a stretcher frame a trimming tolerance of 5 cm circumferential is needed
- for canvas (edge reinforcement/eyelets) which need important images, a trimming tolerance of 5 cm circumferential is needed.
- For wooden hemstitches trimming tolerance needs to be clarified. (depending on diameter and material)

EINGABEPROFIL

iso coated v2 (ECI) (also for b/w-images)



DATA PREPARATION RESOLUTION PDF

RESOLUTION

- Viewing distance 0–2m: minimum 120dpi (scale 1:1)
 or minimum 1200 dpi (scale 1:10)
- Viewing distance 2–5m: minimum 75dpi (scale 1:1)
 or minimum 750 dpi (scale 1:10)
- Viewing distance > 5m: minimum 50dpi (scale 1:1)
 or minimum 500 dpi (scale 1:10)

OPEN FILES

- Always deliver typography and images as well
- Typography prefered in vector data

PDF

- do not generate crop mark but include the bleed
- vectorized typography is recommended
- With PDF-Export choose the PDF x/1a-standard with compatibility for Acrobat 4
- generate the PDF without output profile
- when scaling 1:10 check to see that the PDF is exported without compression
- when using transparency always check for unwanted side effects like hair lines

westhafen er er

Westhafen Pier 1 GmbH Rotfeder-Ring 1 60327 Frankfurt am Main

Tel.: 069 26 01 000-20

info@westhafenpier.de westhafenpier.de